



DETAIL C  
FAN MOUNTS,  
SPL ON REAR  
CUTOUT AREA



DETAIL D  
FAN MOUNTS,  
4PL ON SIDES  
CUTOUT AREA



DETAIL E  
CABLE TIE CUTOUT  
SPL ON BASE  
CUTOUT AREA



**NOTES:**

**Chassis-Cover Material:**  
0.036, 20GAGE, Cold Rolled Steel  
RAL 3002 Carmine Red, HR-0287-LT, Sandtex, Hybrid Powder

**Chassis-Base Material:**  
0.048, 18GAGE, Cold Rolled Steel  
RAL 3002 Carmine Red, HR-0287-LT, Sandtex, Hybrid Powder

ALL BENDS  $90 \pm 2^\circ$ ,  $1.5 \pm 0.5mm$  RADIUS UOS  
MAX COPLANARITY 0.13mm UOS

TITLE: CRIMSON CHASSIS ASSEMBLY			
DRAFTED BY: V. CHAN	SIZE: A4	SCALE: NTS	METRIC <small>Dimensions in mm</small>
DATE: 2015-03-24	GENERAL TOLERANCES (UNLESS OTHERWISE STATED): (1) PLC DECIMAL $\pm 0.5mm$ (2) PLC DECIMAL $\pm 0.05mm$ Regardless of feature size		
REVIEWED BY: B. MALATEST	REVISION: RTM3 - Revision 4.0		
DATE: 2015-03-25	FOR PRODUCTION USE		SHEET: 1 of 1
© Per Vices Corporation 2015			